



Test Booklet Code <u>R</u> Booklet ENGL Test

DUGRI

This Booklet contains 32 pages, including Rough Page.

Do not open this Test Booklet until you are asked to do so.

Markettant Instructions:

The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on ORIGINAL Copy carefully with blue/black ball point pen only.

The test is of 3 hours 20 minutes duration and the Test Booklet contains 200 multiple-choice questions (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology). 50 questions in each subject are divided into two Sections (A and B) as per details given below:

(a) Section A shall consist of 35 (Thirty-five) Questions in each subject (Question Nos – 1 to 35, 51 to 85, 101 to 135 and 151 to 185). All questions are compulsory.

(b) Section B shall consist of 15 (Fifteen) questions in each subject (Question Nos – 36 to 50, 86 to 100, 136 to 150 and 186 to 200). In Section B, a candidate needs to attempt any 10 (Ten) questions out of 15 (Fifteen) in each subject.

Candidates are advised to read all 15 questions in each subject of Section B before they start attempting the question paper. In the event of a candidate attempting more than ten questions, the first ten questions answered by the candidate shall be evaluated.

3. Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.

4. Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses on

Rough work is to be done in the space provided for this purpose in the Test Booklet only.

On completion of the test, the candidate must hand over the Answer Sheet (ORIGINAL and OFFICE Copy) to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.

The CODE for this Booklet is 11. Make sure that the CODE printed on the Original Copy of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the

The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/ Answer Sheet.

Use of white fluid for correction is NOT permissible on the Answer Sheet.

10. Each candidate must show on-demand his/her Admit Card to the Invigilator.

No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her seat.

12. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt with as an Unfair Means case.

13. Use of Electronic/Manual Calculator is prohibited.

14. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of this examination.

15. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.

16. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.

17. Compensatory time of one hour five minutes will be provided for the examination of three hours and 20 minutes duration, whether such candidate (having a physical limitation to write) uses the facility of Scribe or not.









Physics: Section-A (Q. No. 1 to 35)

A wheel of a bullock cart is rolling on a level road as shown in the figure below. If its linear speed is v in the direction shown, which one of the following options is correct (P and Q are any highest and lowest points on the wheel, respectively)?




- Both the points P and Q move with equal speed.
- (2) Point P has zero speed.
- (3) Point P moves slower than point Q.
- (4) Point P moves faster than point Q.




In the above diagram, a strong bar magnet is moving towards solenoid-2 from solenoid-1. The direction of induced current in solenoid-1 and that in solenoid-2, respectively, are through the directions:

- (1) AB and CD
- (2) BA and DC
- (3) AB and DC
- (4) BA and CD
- 3 Consider the following statements A and B and identify the correct answer:




- A. For a solar-cell, the I-V characteristics lies in the IV quadrant of the given graph.
- B. In a reverse biased pn junction diode, the current measured in (μA) , is due to majority charge carriers.
- (1) Both A and B are correct.
- (2) Both A and B are incorrect.
- (3) A is correct but B is incorrect.
- (4) A is incorrect but B is correct.


- 4 A wire of length 'l' and resistance 100 Ω is divided into 10 equal parts. The first 5 parts are connected in series while the next 5 parts are connected in parallel. The two combinations are again connected in series. The resistance of this final combination is:
 - (1) 55Ω
- (2) 60 Ω
- (3) 26Ω
- (4)_A 52 Ω
- 5 In the following circuit, the equivalent capacitance between terminal A and terminal B is:



- (1) $0.5 \, \mu F$
- (2) 4 μF
- (3) 2 μF
- (4) $1\mu F$
- 6 The output (Y) of the given logic gate is similar to the output of an/a:



- (1) OR gate
- AND gate
- (3) NAND gate
- (4) NOR gate
- 7 The terminal voltage of the battery, whose emf is 10V and internal resistance 1Ω , when connected through an external resistance of 4Ω as shown in the figure is:



- (y) 8 V
- (2) 10 V
- (3) 4V
- (4) 6 V





The mass of a planet is $\frac{1}{10}$ th that of the earth and 8

> its diameter is half that of the earth. The acceleration due to gravity on that planet is:


- (1) 4.9 m s^{-2} (2) 3.92 m s^{-2} (3) 19.6 m s^{-2} (4) 9.8 m s^{-2}
- In a uniform magnetic field of 0.049 T, a magnetic 9 needle performs 20 complete oscillations in 5 seconds as shown. The moment of inertia of the needle is 9.8×10^{-6} kg m². If the magnitude of magnetic moment of the needle is $x \times 10^{-5}$ Am²; then the value of (x) is:




- $1280 \,\pi^2$
- (3) $5\pi^2$
- $128 \pi^{2}$
- 10 If c is the velocity of light in free space, the correct statements about photon among the following are:
 - Α. The energy of a photon is E = hv.
 - The velocity of a photon is c.
 - The momentum of a photon, $p = \frac{hv}{c}$. C.
 - D. In a photon-electron collision, both total energy and total momentum are conserved.
 - Photon possesses positive charge.

Choose the correct answer from the options given below:

- (1) A, C and D only
- (2) A, B, D and E only
- (3) A and B only
- A, B, C and D only



11 The maximum elongation of a steel wire of 1 m length if the elastic limit of steel and its Young's modulus, respectively, are 8×10^8 N m⁻² and 2×10^{11} N m⁻², is:



- (2) 8 mm (4) 0.4 mm



12 A logic circuit provides the output Y as per the following truth table:

A	В	Y
0	0	1
0	1	0
1	0	1
1	1	0

The expression for the output Y is:

(J)	B	
123		_

- (2) B
- (4) $A.\overline{B} + \overline{A}$
- 13 The moment of inertia of a thin rod about an axis passing through its mid point and perpendicular to the rod is 2400 g cm². The length of the 400 g rod is nearly:
 - (1) 20.7 cm
- (2) 72.0 cm
- 8.5 cm (3)
- (4) 17.5 cm
- 14 In a vernier calipers, (N+1) divisions of vernier scale coincide with N divisions of main scale. If I MSD represents 0.1 mm, the vernier constant (in cm) is:
 - (1) 100N

- 15 Match List I with List II.

List II List I (Wavelengths (nm)) (Spectral Lines of Hydrogen for transitions from)

- A. $n_2 = 3$ to $n_1 = 2$ t
- 410.2
- B. $n_2 = 4$ to $n_1 = 2 3$ II.
 - 434.1
- C. $n_2 = 5$ to $n_1 = 2$
- III. 656.3
- D. $n_2 = 6$ to $n_1 = 2$
- IV. 486.1

O

0

10


- A-IV, B-III, C-I, D-II
- (2) A-I, B-II, C-III, D-IV
- (3) A-II, B-I, C-IV, D-III
- (4) A-III, B-IV, C-II, D-I








- 16 If the monochromatic source in Young's double slit experiment is replaced by white light, then
 - there will be a central bright white fringe surrounded by a few coloured fringes.
 - (2) all bright fringes will be of equal width.
 - (3) interference pattern will disappear.
 - (4) there will be a central dark fringe surrounded by a few coloured fringes.
- 17 The graph which shows the variation of $\left(\frac{1}{\lambda^2}\right)$

and its kinetic energy, E is (where λ is de Broglie wavelength of a free particle):









18 Match List-I with List-II.

List-I (Material)

List-II (Susceptibility (χ))

- A. Diamagnetic
- $1. \qquad \chi = 0$
- B. Ferromagnetic
- II. $0 > \chi \ge -1$
- C. Paramagnetic
- III. $\chi \gg 1$
- D. Non-magnetic
- IV. $0 < \chi < \epsilon$ (a small

positive number)
Choose the correct answer from the options given below:

- (1) A-III, B-II, C-I, D-IV
- (2) A-IV, B-III, C-II, D-I
- (3) A-II, B-III, C-IV, D-I
- (4) A-II, B-I, C-III. D-IV




- 19 An unpolarised light beam strikes a glass surface at Brewster's angle. Then
 - both the reflected and refracted light will be completely polarised.
 - (2) the reflected light will be completely polarised but the refracted light will be partially polarised.
 - the reflected light will be partially polarised.
 - (4) the refracted light will be completely polarised.

- 20 A particle moving with uniform speed in a circular path maintains;
 - (1) constant velocity but varying acceleration.
 - (2) varying velocity and varying acceleration,
 - constant velocity.
 - (4) constant acceleration.
- The quantities which have the same dimensions as those of solid angle are:
 - (1) strain and are
 - (2) angular speed and stress
 - (3) strain and angle
 - (4) stress and angle
- A bob is whirled in a horizontal plane by means of a string with an initial speed of ω rpm. The tension in the string is T. If speed becomes 2ω while keeping the same radius, the tension in the string becomes:
 - (1) $\frac{T}{4}$
- (2) $\sqrt{2}T$
- (3) T
- (4) 4T
- 23 If $x = 5\sin\left(\pi t + \frac{\pi}{3}\right)m$ represents the motion of a

particle executing simple harmonic motion, the amplitude and time period of motion, respectively, are:

- (1) 5 cm, 1 s
- (2) 5 m, 1 s
- (3) 5 cm, 2 s
- (4) 5 m, 2 s
- 24 A thermodynamic system is taken through the cycle *abcda*. The work done by the gas along the path *bc* is:



- (1) -90 J
- (2) -60 J
- (3) zero
- (4) 30 J





Given below are two statements: 25

> Statement I: Atoms are electrically neutral as they contain equal number of positive and negative charges.

> Statement II: Atoms of each element are stable and emit their characteristic spectrum.

> In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- Both Statement I and Statement II are correct.
- Both Statement I and Statement II are incorrect.
- In an ideal transformer, the turns ratio is $\frac{N_P}{N_c} = \frac{1}{2}$. 26

The ratio V_s : V_p is equal to (the symbols carry their usual meaning):

- (I) 1:1
- (2) 1:4
- (3) 1:2
- 2:1
- Two bodies A and B of same mass undergo 27 completely inelastic one dimensional collision. The body A moves with velocity v_1 while body B is at rest before collision. The velocity of the system after collision is v_2 . The ratio $v_1 : v_2$ is :
 - (1) 4:1
- (2) 1:4
- (3) 1:2
- 2:1

28
$$\stackrel{290}{82}X \xrightarrow{\alpha} Y \xrightarrow{\epsilon^-} Z \xrightarrow{\beta^-} P \xrightarrow{\epsilon^-} Q$$

In the nuclear emission stated above, the mass number and atomic number of the product Qrespectively, are:

- (1) 288, 82
- (2) 286, 81
- (3) 280, 81
- (4) 286, 80

29 Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

> **Assertion A**: The potential (V) at any axial point, at 2 m distance(r) from the centre of the dipole

> of dipole moment vector \overrightarrow{P} of magnitude, $4 \times 10^{-6} \,\mathrm{C} \,\mathrm{m}$, is $\pm 9 \times 10^{3} \,V$.

(Take
$$\frac{1}{4\pi \in 0} = 9 \times 10^9$$
 SI units)


Reason R: $V = \pm \frac{2P}{4\pi \in r^2}$, where r is the

distance of any axial point, situated at 2 m from the centre of the dipole.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is true but R is false.
- (2) A is false but R is true.
- Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true and R is NOT the correct explanation of A.
- 30 A thin spherical shell is charged by some source. The potential difference between the two points C and P (in V) shown in the figure is:

(Take
$$\frac{1}{4\pi \epsilon_0} = 9 \times 10^9$$
 SI units)




- (1) 0.5×10^5
- (3) 3×10^5
- 31 A thin flat circular disc of radius 4.5 cm is placed gently over the surface of water. If surface tension of water is 0.07 Nm⁻¹, then the excess force required to take it away from the surface is:
 - (1) 1.98 mN
- (2) 99 N
- (3) 19.8 mN
- (4) 198 N






32 A light ray enters through a right angled prism at point P with the angle of incidence 30° as shown in figure. It travels through the prism parallel to its base BC and emerges along the face AC. The refractive index of the prism is:



- 33 At any instant of time \hat{t} , the displacement of any particle is given by 2t - 1 (SI unit) under the influence of force of 5N. The value of instantaneous power is (in SI unit):
 - (1) 7 $(3)_{-}10$
- A tightly wound 100 turns coil of radius 34 10 cm carries a current of 7 A. The magnitude of the magnetic field at the centre of the coil is (Take permeability of free space as $4\pi \times 10^{-7}$ SI units):
 - (1) 4.4 mT
 - 44 T (3) 44 mT 4.4 T
- A horizontal force $10 \overline{N}$ is applied to a block A as 35 shown in figure. The mass of blocks A and B are 2 kg and 3 kg, respectively. The blocks slide over a frictionless surface. The force exerted by block A on block B is:



Physics: Section-B (Q. No. 36 to 50)

- A small telescope has an objective of focal length 36 140 cm and an eye piece of focal length 5.0 cm. The magnifying power of telescope for viewing a distant object is:
 - (1) 17

(3) 34

- Two heaters A and B have power rating of 1 kW and 2 kW, respectively. Those two are first connected in series and then in parallel to a fixed power source. The ratio of power outputs for these two cases is:
 - (1) 1:2

(3) 1:1

If the mass of the bob in a simple pendulum is 38 increased to thrice its original mass and its length is made half its original length, then the new time period of oscillation is $\frac{x}{2}$ times its original time period. Then the value of x is:

 $2\sqrt{3}$

 $\sqrt{3}$ (3)

- 39 A parallel plate capacitor is charged by connecting it to a battery through a resistor. If I is the current in the circuit, then in the gap between the plates:
 - displacement current of magnitude equal to I flows in a direction opposite to that of I.
 - (2) displacement current of magnitude greater than I flows but can be in any direction.
 - (3) there is no current.
 - displacement current of magnitude equal to I flows in the same direction as I.
- A metallic bar of Young's modulus, $0.5 \times 10^{11} \, \text{N m}^{-2}$ and coefficient of linear thermal 40 expansion 10⁻⁵ °C⁻¹, length 1 m and area of cross-section 10⁻³ m² is heated from 0°C to 100°C without expansion or bending. The compressive force developed in it is:
 - (1) $100 \times 10^3 \text{ N}$


 $(2) 2 \times 10^3 \text{ N}$

- (4) $50 \times 10^3 \text{ N}$







41 The velocity (v) – time (t) plot of the motion of a body is shown below:




The acceleration (a) – time (t) graph that best suits this motion is:







42 The following graph represents the T-V curves of an ideal gas (where T is the temperature and V the volume) at three pressures P_1 , P_2 and P_3 compared with those of Charles's law represented as dotted lines.



Then the correct relation is:


- (1) $P_2 > P_1 > P_3$ (2), $P_1 > P_2 > P_3$ (3) $P_3 > P_2 > P_1$ (4) $P_1 > P_3 > P_2$


- 43 A 10 µF capacitor is connected to a 210 V, 50 Hz source as shown in figure. The peak current in the circuit is nearly $(\pi = 3.14)$:



- (1) 1.20 A
- 0.35 A
- (3) 0.58 A
- 0.93 A

Choose the correct circuit which can achieve the bridge balance.





- 45 The property which is not of an electromagnetic wave travelling in free space is that:
 - (1) they travel with a speed equal to $\frac{1}{\sqrt{\mu_0 \in 0}}$.
 - (2)they originate from charges moving with uniform speed.
 - (3) they are transverse in nature.
 - (4) the energy density in electric field is equal to energy density in magnetic field.
- 46 The minimum energy required to launch a satellite of mass m from the surface of earth of mass M and radius R in a circular orbit at an altitude of 2R from the surface of the earth is:

$$(1) \quad \frac{GmM}{2R}$$

$$(2) \quad \frac{GmM}{3R}$$

$$(3) \quad \frac{5GmM}{6R}$$

$$(4) \quad \frac{2GmM}{3R}$$





- 47 If the plates of a parallel plate capacitor connected to a battery are moved close to each other, then
 - the charge stored in it, increases.
 - the energy stored in it, decreases.
 - its capacitance increases.
 - D. the ratio of charge to its potential remains the same.
 - the product of charge and voltage increases. Choose the most appropriate answer from the options given below:
 - (L) B, D and E only (2) A, B and C only
 - (3) A, B and E only (4) A, C and E only
- 48 A force defined by $F = \alpha t^2 + \beta t$ acts on a particle at a given time t. The factor which is dimensionless, if α and β are constants, is:

- 49 A sheet is placed on a horizontal surface in front of a strong magnetic pole. A force is needed to:
 - hold the sheet there if it is magnetic.
 - B. hold the sheet there if it is non-magnetic.
 - move the sheet away from the pole with uniform velocity if it is conducting.
 - move the sheet away from the pole with D. uniform velocity if it is both, non-conducting and non-polar.

Choose the correct statement(s) from the options grand given below: (3)

00

N

(N

- (1) A, C and D only
- (2) C only
- (3) B and D only
- (4) A and C only
- 50 An iron bar of length L has magnetic moment M. It is bent at the middle of its length such that the two arms make an angle 60% with each other. The magnetic moment of this new magnet is:
 - (1) 2 M
- (3) M

Chemistry: Section-A (Q. No. 51 to 85)

51 Match List I with List II.

List I List II (Process) (Conditions)

- A. Isothermal No heat exchange process
- B. Isochorie Carried out at process constant temperature
- C. Isobaric MI. Carried out at process constant volume
- D. Adiabatic IV. Carried out at process constant pressure

Choose the correct answer from the options given below:

- (1) A-I, B-II, C-III, D-IV
- (2) A-II, B-III, C-IV, D-I
 - (3) A-IV, B-III, C-II, D-I
- (4) A-IV, B-II, C-III, D-I
- 52 Given below are twojstatements:

Statement I: The boiling point of three isomeric pentanes follows the order

n-pentane > isopentane > neopentane

Statement II: When branching increases, the molecule attains a shape of sphere. This results in smaller surface area for contact, due to which the intermolecular forces between the spherical molecules are weak, thereby lowering the boiling

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct.
 - Both Statement I and Statement II are incorrect. M)





53 Match List I with List II.

List I (Molecule)

List II

(Number and types of bond/s between two carbon atoms)

- A. ethane

 Li one σ-bond and two π-bonds

 B. ethene

 C. earbon

 Hu one σ-bond
- molecule, C₂
 D. ethyne

 IV one σ-bond and one π-bond

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-II, D-I
- (2) A-III, B-IV, C-I, Q-II
- (3) A-I, B-IV, C-II, D-III
- (4) A-IV, B-III, C-II, D-I
- 54 Which one of the following alcohols reacts instantaneously with Lucas reagent?
 - (1) CH₃ − CH − CH₂OH CH₃ (N)

- (3) $CH_3 CH_2 CH_2^{(1)}CH_2OH$
- (4) $CH_3 CH_2 CH OH$ CH_3
- 55 Match List I with List II.

List I

List II

Quantum Number Information provided

- A. m_l Shape of orbital B. m_s II. size of orbital
- C. I III. orientation of orbital
- D. n selV. orientation of spin of electron

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-II, D-I
- (2) A-II, B-I, C-IV, D-III
- (3) A-I, B-III, C-II, D-IV
- (4) A-III, B-IV, C-I, D-II

- 'Spin only' magnetic moment is same for which of the following ions?
 - Λ . Ti³⁺
- B. Cr²⁺
- C. Mn²⁺
- D. Fe²⁺
- E. Se³⁺


Choose the most appropriate answer from the options given below:


- (1) B and C only
- (2) A and D only
- (3) B and D only
- (4) A and E enly
- 57 On heating, some solid substances change from solid to vapour state without passing through liquid state. The technique used for the purification of such solid substances based on the above principle is known as
 - (1) Distillation
 - (2) Chromatography
 - (3) Crystallization
 - (4) Sublimation
- The energy of an electron in the ground state (n = 1) for He⁺ ion is -x J, then that for an electron in n = 2 state for Be⁵⁺ ion in J is:
 - (1) 4x
- (2) $\frac{4}{9}$
- (3) -x
- (4) $-\frac{x}{9}$
- 59 Activation energy of any chemical reaction can be calculated if one knows the value of
 - orientation of reactant molecules during collision_{ph.}
 - (2) rate constant at two different temperatures.
 - (3) rate constant at standard temperature.
 - (4) probability of collision.


 (Ω)


O

60 Which plot of $\ln k$ vs $\frac{1}{T}$ is consistent with Arrhenius equation?













61 Given below are two statements:

Statement I: The boiling point of hydrides of Group 16 elements follow the order

 $H_2O > H_2Te > H_2Se > H_2S$.

Statement II: On the basis of molecular mass, H₂O is expected to have lower boiling point than the other members of the group but due to the presence of extensive H-bonding in H₂O, it has higher boiling point.

In the light of the above statements, choose the *correct* answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.
- 62 The reagents with which glucose does **not** react to give the corresponding tests/products are
 - A. Tollen's reagent
 - B. Schiff's reagent
 - C. HCN
 - D. NH2OH
 - E. NaHSO₃

Choose the correct options from the given below:

- (1) B and E
- (2) E and D
- (3) B and C
- (4) A and D
- Arrange the following elements in increasing order of first ionization enthalpy:
 - Li, Be, B, C, N

Choose the correct answer from the options given below:

- (1) $Li \le Be \le C \le B \le N$
- (2) Li < Be < N < B < C
- (3) $Li \le Be \le B \le C \le N$
- (4) Li < B < Be < C < N
- 64 Arrange the following elements in increasing order of electronegativity:

N, O, F, C, Si

Choose the correct answer from the options given below:

- (1) O < F < N < C < Si
- (2) F < O < N < C < Si
- •(3) Si < C < N < O < F
- (4) Si < C < O < N < F

- 65 The E° value for the Mn³⁺/Mn²⁺ couple is more positive than that of Cr³⁺/Cr²⁺ or Fe³⁺/Fe²⁺ due to change of
 - (1) d4 to d5 configuration
 - (2) d³ to d⁵ configuration
 - (3) d5 to d4 configuration
 - (4) d⁵ to d² configuration
- 66 Match List I with List II.

List I			List II		
(Compound)		(Sh:	(Shape/geometry)		
A.	NH ₃	1.	Trigonal Pyramidal		
В.	BrF ₅	II.	Square Planar		
C.	XeF ₄	III.	Octahedral		
D.	SF ₆	IV.	Square Pyramidal		
Ç	hoose the co	orrect answer	from the options giver		

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-II, B-III, C-IV, D-I
 - (3) A-I, B-IV, C-II, D-III
 - (4) A-II, B-IV, C-III, D-I
- 67 Match List I with List II.

List I (Complex) List II (Type of isomerism)

A.
$$\left[\operatorname{Co}\left(\operatorname{NH}_{3}\right)_{5}\left(\operatorname{NO}_{2}\right)\right]\operatorname{Cl}_{2}$$

I. Solvate

isomerism

$$B.\ \Big[Co \big(NH_3 \big)_{\! 5} \big(SO_4 \big) \Big] Br$$

II. Linkage

isomerism

C.
$$\left[\operatorname{Co}\left(\operatorname{NH}_3\right)_6\right]\left[\operatorname{Cr}\left(\operatorname{CN}\right)_6\right]$$

III. Ionization

D.
$$\left[Co(H_2O)_6 \right] CI_3$$

IV. Coordination

isomerism

isomerism

- (1) A-I, B-IV, C-III, D-II
- (2) A-II, B-IV, C-III, D-I
- (3) A-II, B-III, C-IV, D-I
 - (4) A-I, B-III, C-IV, D-II





- 68 Intramolecular hydrogen bonding is present in
 - (1)O
 - (2) HF

O

- NO)
- NO_2
- 69 Given below are two statements:

Statement I: Aniline does not undergo Friedel-Crafts alkylation reaction.

Statement II : Aniline cannot be prepared through Gabriel synthesis.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is correct but Statement II is false.
- (2) Statement I is incorrect but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.
- 70 The highest number of helium atoms is in
 - (1) 4 g of helium
 - (2) 2.271098 £ of helium at STP
- 4 mol of helium
 - (4) 4 u of helium

71 Match List I with List II. List I (Reaction)

List II (Reagents/ Condition)

- Anhyd.AlCl3
- II. CrO₃
- III. KMnO₄/. KOH, A


- IV. (i) O₃
 - (ii) Zn-H₂O

Choose the correct answer from the options given

- A-IV, B-I, C-II, D-III •
- A-I, B-IV, C-II, D-III
- A-IV, B-I, C-III, D-II
- A-III, B-I, C-II, D-IV
- 72 Identify the correct reagents that would bring about the following transformation.

$$\begin{array}{c} \longleftarrow \text{CH}_2\text{-}\text{CH}_2 \rightarrow \\ \longleftarrow \text{CH}_2\text{-}\text{CH}_2\text{-}\text{CH}_2\text{-}\text{CHO} \end{array}$$

- (I) (i)
 - H₂O₂ (ii)
 - (iii) alk. KMnO_d
 - H₂O[⊕] (iv)
- (2) H_2O/H^+ (i)
 - (ii) PCC
- H₂O/H⁴ (3) (i)
- CrO₂ N (ii)
- (4) (i) $BH_3 \cup A$
 - (ii)
 - (iii) PCC
- 73 The compound that will undergo S_N¹ reaction with the fastest rate is



- (4) Br

7





74 Fehling's solution 'A' is

- (1) alkaline solution of sodium potassium tartrate (Rochelle's salt)
- (2) aqueous sodium citrate
- (3) aqueous copper sulphate
- (4) alkaline copper sulphate
- 75 The most stable carbocation among the following is:

76 For the reaction $2A \rightleftharpoons B + C$, $K_c = 4 \times 10^{-3}$. At a given time, the composition of reaction mixture

is:
$$[A] = [B] = [C] = 2 \times 10^{-3} M$$
.

Then, which of the following is correct?

- Reaction has a tendency to go in backward direction.
- Reaction has gone to completion in forward direction.
- (3) Reaction is at equilibrium.
- (4) Reaction has a tendency to go in forward direction.
- The Henry's law constant (K_H) values of three gases (A, B, C) in water are 145, 2×10⁻⁵ and 35 kbar, respectively. The solubility of these gases in water follow the order:
 - (1) A>C>B
- (2) A > B > C
- (3) B > A > C
- (4) B>C>A

78 A compound with a molecular formula of C₆H₁₄ has two tertiary carbons. Its IUPAC name is:

- (1) 2,3-dimethylbutane
- (2) 2,2-dimethylbutane
- (3) n-hexane
- (4) 2-methylpentane

79 In which of the following equilibria, K_p and K_c are NOT equal?

- (1) $CO_{(g)} + H_2O_{(g)} \rightleftharpoons CO_{2(g)} + H_{2(g)}$
- (2) $2 \operatorname{BrCl}_{(g)} \rightleftharpoons \operatorname{Br}_{2(g)} + \operatorname{Cl}_{2(g)}$
- \bullet (3) $PCl_{5(g)} \rightleftharpoons PCl_{3(g)} + Cl_{2(g)}$
 - (4) $H_{2(g)} + I_{2(g)} \rightleftharpoons 2 HI_{(g)}$

80 Which reaction is NOT a redox reaction?

- (1) $\ddot{H}_2 + \tilde{Cl}_2 \rightarrow 2 \text{ HCI}$
- (2) $BaCl_2 + Na_2SO_4 \rightarrow BaSO_4 + 2 NaCl$
- (3) $Zn + CuSO_4 \rightarrow ZnSO_4 + Cu$
- (4) $2 \text{ KClO}_3 + I_2 \rightarrow 2 \text{ KIO}_3 + \text{Cl}_2$

81 Given below are two statements:

Statement I: Both $\left[\operatorname{Co}\left(\operatorname{NH}_3\right)_6\right]^{3+}$ and $\left[\operatorname{CoF}_6\right]^{3-}$ complexes are octahedral but differ in their magnetic behaviour.

Statement II : $\left[\text{Co} \left(\text{NH}_3 \right)_6 \right]^{3+}$ is diamagnetic

whereas $\left[\operatorname{CoF}_{6}\right]^{3-}$ is paramagnetic.

In the light of the above statements, choose the *correct* answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

82 I gram of sodium hydroxide was treated with 25 mL of 0.75 M HCl solution, the mass of sodium hydroxide left unreacted is equal to

- (1) Zero mg
- (2) 200 mg
- (3) 750 mg
- (4) 250 mg





- 83 Among Group 16 elements, which one does NOT show -2 oxidation state?
 - (1) Te
- (2)Po
- (3) O
- (4) Se
- In which of the following processes entropy 84 increases?
 - A liquid evaporates to vapour.
 - B. Temperature of a crystalline solid lowered from 130 K to 0 K.
 - C. $2 \text{ NaHCO}_{3(s)} \rightarrow \text{Na}_2\text{CO}_{3(s)} + \text{CO}_{2(g)} + \text{H}_2\text{O}_{(g)}$
 - D. $Cl_{2(g)} \rightarrow 2 Cl_{(g)}$

Choose the correct answer from the options given below:

- (1) A, C and D
- (2) C and D
- (3) A and C
- (4) A, B and D
- 85 Match List I with List II.

List I

List II

(Conversion)

(Number of

Faraday required)

- A. I mol of H₂O to O₂
- 3F
- B. $1 \text{ mol of } MnO_4^-$ to
- Ц. 2F

- Mn^{2+}
- C. 1.5 mol of Ca from
- III.
- molten CaCl2
- 1 F
- D. 1 mol of FeO to Fe₂O₂ IV.

Choose the correct answer from the options given below:

- A-II, B-III, C-I, D-IV
- (2) A-III, B-IV, C-II, D-I
- (3) A-II, B-IV, C-I, D-III
- (4) A-III, B-IV, C-I, D-II

Chemistry: Section-B (Q. No. 86 to 100)

Major products A and B formed in the following reaction sequence, are

$$\begin{array}{c}
 & \text{OH} \\
 & \xrightarrow{\text{PBr}_3} & A & \xrightarrow{\text{alc. KOH}} & B \\
 & \text{(major)} & \xrightarrow{\text{DH}_{\Delta}} & B
\end{array}$$

(1)
$$A = \bigcup_{A=}^{H_3C} B_T \bigcup_{B=}^{OH} B_T \bigcup_{B=}^{OH} B_T$$

(2)
$$A^ B_T$$
 H_3C
 $B =$
 O
 B_T
 $B =$
 O

(3)
$$A=$$
 H_3C
 H_3C
 $B=$
 H_3C

(4)
$$A = \begin{pmatrix} H_3C \\ B = \end{pmatrix}$$
 : $B = \begin{pmatrix} H_3C \\ B = \end{pmatrix}$

87 Consider the following reaction in a sealed vessel at equilibrium with concentrations of

$$N_2 = 3.0 \times 10^{-3} \text{ M}, O_2 = 4.2 \times 10^{-3} \text{ M} \text{ and}$$

 $NO = 2.8 \times 10^{-3} \text{ M}.$

$$2NO_{(g)} \rightleftharpoons N_{2(g)} + O_{2(g)}$$

If $0.1 \, \text{mol} \, L^{-1}$ of $NO_{(g)}$ is taken in a closed vessel, what will be degree of dissociation (α) of $NO_{(g)}$ at equilibrium?

- (1) 0.8889
- (2) 0.717
- (3) 0.00889
- (4) 0.0889
- 88 The products A and B obtained in the following reactions, respectively, are

$$3ROH - PCl_3 \rightarrow 3RCl + A$$

 $ROH + PCI_5 \rightarrow RCI + HCI + B$

- H₃PO₄ and POCl₃
- (2) H₃PO₃ and POCl₃
- (3) POCI₃ and H₃PO₃.
- (4) POCl₃ and H₃PO₄





- 89 Given below are certain cations. Using inorganic qualitative analysis, arrange them in increasing group number from 0 to VI.
 - A. Al3+
- B. Cu²⁺
- C. Ba²⁺
- D. Co²⁺
- E, Mg²⁺

Choose the correct answer from the options given below:

- (H) E, C, D, B, A
- (2) E, A, B, C, D
- (3) B, A, D, C, E
- (4) B, C, A, D, E
- During the preparation of Mohr's salt solution (Ferrous ammonium sulphate), which of the following acid is added to prevent hydrolysis of Fe²⁺ ion?
 - (1) dilute nitric acid
 - (2) dilute sulphuric acid
 - (3) dilute hydrochloric acid
 - (4) concentrated sulphuric acid
- 91 The work done during reversible isothermal expansion of one mole of hydrogen gas at 25°C from pressure of 20 atmosphere to 10 atmosphere is:

(Given R = $2.0 \text{ cal } \text{K}^{-1} \text{ mol}^{-1}$)

- (1) 413.14 calories
- (2) 100 calories
- (3) 0 calorie
- (4) 413.14 calories
- 92 For the given reaction:

$$C = CH \xrightarrow{KMnO_4/H^+} C \xrightarrow{P'} C$$
(major product)

'P' is

- (2) _-c-c-
- (3) < >- сно
- (4) __COOH

93 The plot of osmotic pressure (Π) vs concentration (mol L⁻¹) for a solution gives a straight line with slope 25.73 L bar mol⁻¹. The temperature at which the osmotic pressure measurement is done is:

(Use R = 0.083 L bar $mol^{-1} K^{-1}$)

- (1) 25.73°C
- (2) 12.05°C
- (3) 37°€
- (4) 310°C
- 94 Identify the major product C formed in the following reaction sequence:

Un

$$CH_3 - CH_2 - CH_2 - I \xrightarrow{NaCN} A$$

$$\begin{array}{c}
OH^{-} \\
\hline
Partial hydrolysis
\end{array}
\xrightarrow{B} \begin{array}{c}
NaOH \\
Br_{2}
\end{array}
\xrightarrow{C} \begin{array}{c}
C \\
(major)
\end{array}$$

- (1) butanamide
- (2) α-bromobutanoic acid
- (3) propylamine
- (4) butylamine
- 95 A compound X contains 32% of A, 20% of B and remaining percentage of C. Then, the empirical formula of X is:

(Given atomic masses of A = 64; B = 40; C = 32 u)

- (1) AB₂C₂
- (2) ABC₄
- (3) A₂BC₂
- (4) ABC₃
- 96 The rate of a reaction quadruples when temperature changes from 27°C to 57°C. Calculate the energy of activation.

Given $R = 8.314 \text{ J K}^{-1} \text{ fmol}^{-1}$, $\log 4 = 0.6021$

04

- (1) 3.80 kJ/mol
- (2) 3804 kJ/mol
- (3) 38.04 kJ/mol
- (4) 380.4 kJ/mol





- 97 Identify the correct answer.
 - Dipole moment of NF₃ is greater than that of NH₃.
 - (2) Three canonical forms can be drawn for CO₃²⁻ ion.
 - Three resonance structures can be drawn for ozone.
 - (4) BF₃ has non-zero dipole moment.
- 98 The pair of lanthanoid ions which are diamagnetic is
 - (1)' Gd3+ and Eu3+
 - (2) Pm³⁺ and Sm³⁺
 - (3) Ce^{4+} and Yb^{2+}
 - (4) Ce³⁺ and Eu²⁺
- 99 Given below are two statements:

Statement 1: $\left[\text{Co}\left(\text{NH}_3\right)_6\right]^{3+}$ is a homoleptic

complex whereas $\left[\operatorname{Co}\left(\operatorname{NH}_3\right)_4\operatorname{Cl}_2\right]^+$ is a heteroleptic complex.

Statement II: Complex $\left[\text{Co}\left(\text{NH}_3\right)_6\right]^{3+}$ has only

one kind of ligands but $\left[\operatorname{Co}\left(\operatorname{NH}_3\right)_4\operatorname{Cl}_2\right]^+$ has more than one kind of ligands.

In the light of the above statements, choose the *correct* answer from the options given below:


- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.
- Mass in grams of copper deposited by passing
 9.6487 A current through a voltmeter containing copper sulphate solution for 100 seconds is:

(Given: Molar mass of $Cu: 63 \text{ g mol}^{-1}$, 1F = 96487 C)

- (1) 31.5 g
- (2) 0.0315 g
- (3) 3.15 g
- (4) 0.315 g

Botany: Section-A (Q. No. 101 to 135)

101 In the given figure, which component has thin outer walls and highly thickened inner walls?



- (1) A
- (2) B
- (3) C.
- (4) D
- 102 List of endangered species was released by-
 - (1) FOAM
- (2) IUCN •
- (3) GEAC
- (4) WWF
- The type of conservation in which the threatened species are taken out from their natural habitat and placed in special setting where they can be protected and given special care is called;
 - (1) Semi-conservative method •
 - (2) Sustainable development
 - in-situ conservation
 - (4) Biodiversity conservation
- 104 Which one of the following can be explained on the basis of Mendel's Law of Dominance?
 - Out of one pair of factors one is dominant and the other is recessive.
 - B. Alleles do not show any expression and both the characters appear as such in F₂ generation.
 - Factors occur in pairs in normal diploid plants.
 - The discrete unit controlling a particular character is called factor.
 - E. The expression of only one of the parental characters is found in a monohybrid cross.

- (1) B, C and D only
- (2) A, B, C, D and E
- (3) A, B and C only
- (4) A, C, D and E only





105	The lactose present in the growth medium of	110	Match List I with	h List II		
	bacteria is transported to the cell by the action of:		List I		List II	
	(1) Permease	A	. Rhizopus	I.	Mushroom	1
	(2) Polymerase •	В	. Ustilago	II.	Smut fung	us
	(3) Beta-galactosidase	C	. Puccinia	III.	Bread mou	ıld 🚫
	(4) Acetylase	D	. Agaricus		Rust fungu	
	(4) //ectylase		Choose the correct	ct answer	from the opt	ions given
106	Match List I with List f		below:			00
100	List I List II		(1) A-III, B-II,			O
	A. Clostridium List II	_	(2) A-IV, B-III,			Ci
		•	(3) A-III, B-II,			16)
	butylicum	_	(4) A-I, B-III, (:-II, D-IV		
	B. Saccharomyces II. Streptokinase			2 .		
	cerevisiae	111	What is the fate of			
	C. Trichoderma II. Butyric acid		gene of interest v	vhich is tra	ansferred in	to an alien
	polysporum 💢		organism?	ora		ch.
	D. Streptococcus sp. JV. Cyclosporin-A		A. The piece of			
	Choose the correct answer from the options given		itself indepe		n the proge	ny cells of
	below:		the organism			O.
	• (1) A-III, B-I, C-IV, D-II		B. It may get in	negrated	nto the gene	ome of the
	(2) A-IV, B-I, C-III, D-II		recipient. C. It may multi	ط المسم بياسة	والمتأسسات	-1
	(3) A-III, B-I, C-II, D- [V]		C. It may multi the host DN		e innerited i	along with
	(4) A-II, B-IV, C-III, Q-I		D. The alien p		MA in not a	(D)
	O)		part of chro		NA IS HOL a	in integral
107	The equation of Verhuls@Pearl logistic growth is		E. It shows abi		licate	Ch
	PNI		Choose the correct			ions viven
	$\frac{dN}{dt} = rN \left[\frac{K - N}{K} \right].$		below:		nom are op.	(N
	11/2	Г	(1) B and C onl	v		CA
г	From this equation, K indicates:		(2) A and E onl			1
L	• (1) Carrying capacity		(3) A and B onl	•		
	(2) Population density		(4) D and E onl	-		
	(3) Intrinsic rate of natural increase			•		(V)
	(4) Biotic potential	112	Match List I with	List II		prod.
	00		List I		List II	O
108		A	. Nucleolus	I.	Site of for	mation
	by the three regions in DNA and these are with	-			of glycolip	oid (V

- respect to upstream and fown stream end;
 - (1) Inducer, Repressor, Structural gene
 - (2) Promotor, Structural gene, Terminator
 - (3) Repressor, Operator gene, Structural gene
 - (4) Structural gene, Transposons, Operator gene
- 109 Formation of interfascicular cambium from fully developed parenchyma cells is an example for
 - •(1) Dedifferentiation in
 - Maturation (2)
 - (3) Differentiation
 - (4) Redifferentiation

A. Rhizopus 1.	Mushroom
B. Ustilago II.	Smut fungus
C. Puccinia III	. Bread mould (V
D. Agaricus IV	4
Choose the correct answe	Ç
below:	
(1) A-III, B-II, C-I, D-I	v 90
(2) A-IV, B-III, C-II, D-	
•(3) A-III, B-II, C-IV, D-	0.4
(4) A-I, B-III, C-II, D-I	
(4) A-i, B-iii, C-ii, D-i	v
H. What is also feed of	ČDNI
II What is the fate of a piec	
gene of interest which is	ransferred into an alien
organism?	ch.
	ould be able to multiply
	in the progeny cells of
the organism.	0
	into the genome of the
recipient.	Tr. i
 C. It may multiply and 	be inherited along with
the host DNA.	
D. The alien piece of I	DNA is not an integral
part of chromosome	,-
 E. It shows ability to re 	plicate.
Choose the correct answe	
	and the
below:	CA
	CA
(1) B and C only	CA
(1) B and C only (2) A and E only	6.6
(1) B and C only (2) A and E only (3) A and B only	CA
(1) B and C only (2) A and E only	CA
 (1) B and C only (2) A and E only (3) A and B only (4) D and E only 	C)
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only Match List I with List II	C4 C4
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I	List II
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only Match List I with List II	List II On Site of formation
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I A. Nucleolus I.	List II Site of formation of glycolipid (N
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I	List II Site of formation of glycolipid () Organization like
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I A. Nucleolus I. B. Centriole II.	List II Site of formation of glycolipid (N) Organization like the cartwheel
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I A. Nucleolus I.	List II Site of formation of glycolipid (N) Organization like the cartwheel (n) Site for active
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I A. Nucleolus I. B. Centriole II.	List II Site of formation of glycolipid (N) Organization like the cartwheel (n) Site for active ribosomal RNA
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I A. Nucleolus I. B. Centriole II. C. Leucoplasts III	List II Site of formation of glycolipid (Norganization like) Organization like the cartwheel (Control of the cartwheel (Co
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I A. Nucleolus I. B. Centriole II. C. Leucoplasts III D. Golgi IV	List II Site of formation of glycolipid Organization like the cartwheel Site for active ribosomal RNA synthesis For storing
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I A. Nucleolus I. B. Centriole II. C. Leucoplasts III D. Golgi apparatus	List II Site of formation of glycolipid (N) Organization like the cartwheel (n) Site for active ribosomal RNA synthesis For storing nutrients
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I A. Nucleolus I. B. Centriole II. C. Leucoplasts III D. Golgi IV apparatus Choose the correct answe	List II Site of formation of glycolipid () Organization like the cartwheel () Site for active ribosomal RNA synthesis For storing nutrients
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I A. Nucleolus I. B. Centriole II. C. Leucoplasts III D. Golgi IV apparatus Choose the correct answe below:	List II Site of formation of glycolipid () Organization like the cartwheel () Site for active ribosomal RNA synthesis For storing nutrients
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I A. Nucleolus I. B. Centriole II. C. Leucoplasts III D. Golgi IV apparatus Choose the correct answe below: (1) A-III, B-IV, C-II, D-	List II Site of formation of glycolipid (Note that cartwheel 1) Site for active ribosomal RNA synthesis For storing nutrients
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I A. Nucleolus I. B. Centriole II. C. Leucoplasts III D. Golgi IV apparatus Choose the correct answe below: (1) A-III, B-IV, C-II, D-IV (2) A-I, B-II, C-III, D-IV	List II Site of formation of glycolipid (N) Organization like the cartwheel (n) Site for active ribosomal RNA synthesis For storing nutrients of from the options given
(1) B and C only (2) A and E only (3) A and B only • (4) D and E only 12 Match List I with List II List I A. Nucleolus I. B. Centriole II. C. Leucoplasts III D. Golgi IV apparatus Choose the correct answe below: (1) A-III, B-IV, C-II, D-	List II Site of formation of glycolipid (N) Organization like the cartwheel (n) Site for active ribosomal RNA synthesis For storing nutrients from the options given





113 Identify the type of flowers based on the position of calyx, corolla and androecium with respect to the ovary from the given figures (a) and (b) (1) (a) Perigynous; (b) Epigynous, (a) Perigynous; (b) Perigynous • (a) Epigynous: (b) Hypogynous (4) (a) Hypogynous; (b) Epigynous Spindle fibers attach to kinelochores of 114 chromosomes during Anaphase (2) Telophase (3) Prophase (4) Metaphase . 115 These are regarded as major causes of biodiversity loss: A. Over exploitation O Co-extinction M В. C. Mutation D. Habitat loss and fragmentation E. Migration pad Ch Choose the correct option: (0) (1) A, B and E only 04 (2) A, B and D only (3) A, C and D only 10 (4) A, B, C and D only 116 Lecithin, a small molecular weight organic compound found in living tissues, is an example of: O (1) Glycerides

117	lden	tify the set of cor	rect s	tatements:		
	A.	*		eria are colourful and		
		produce nectar.				
	B.	The flowers of v	water	lily are not pollinated		
		by water.				
	C.			llinated species, the		
				ected from wetting.		
	D,	Pollen grains of	some	hydrophytes are long		
		and ribbon like.		N .		
	Ε.			the pollen grains are		
	-01	carried passively				
			swer	from the options given		
	belo		. 1			
	(1)	A, C, D and E or		<u> </u>		
	(2)		_	name d		
٠,		C, D and E only A, B, C and D o		Q)		
	(4)	A, B, C and D o	niy	00		
118	The	cofestor of the er	120 mg	e carboxypeptidase is:		
110	(1)		(2)	Haem		
	(3)	Zinc •	(4)	Niacin		
	(0)	Ziii¢ •	CO	racin		
119	Inhi	bition of Succinic	dehy	drogenase enzyme by		
		onate is a classica				
	• (I)					
		Enzyme activati		90		
	(3)	Cofactor inhibit	ion	N		
	(4)	Feedback inhibi	tion	(N		
				40		
120	Wh	ich of the follo	win	g is an example of		
	acti	nomorphic flower	?			
	(1)	Pisum	(2)	Sesbania		
	(3)	Datura	(4)	Cassia		
		A	_	On an		
121	Give	en below are two	state	ments:		

Statement I: Chromosomes become gradually visible under light microscope during leptotene stage.

Statement II: The begining of diplotene stage is recognized by dissolution of synaptonemal complex.

In the light of the above statements, choose the correct answer from the options given below:

- Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

(1

U

(2) Carbohydrates

(4) Phospholipids

(3) Amino acids





- 122 A pink flowered Snapdragon plant was crossed with a red flowered Snapdragon plant. What type of phenotype/s is/are expected in the progeny?
 - (1) Only pink flowered plants
 - (2) Red, Pink as well as white flowered plants
 - (3) Only red flowered plants
 - (4) Red flowered as well as pink flowered plants
- 123 Given below are two statements:

Statement I: Parenchyma is living but collenchyma is dead tissue.

Statement II: Gymnosperms lack xylem vessels but presence of xylem vessels is the characteristic of angiosperms.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
 - (4) Both Statement I and Statement II are false
- (124) Given below are two statements:

Statement I: Bt toxins are insect group specific and coded by a gene *cry* IAc.

Statement II: Bt toxin exists as inactive protoxin in *B. thuringiensis*. However, after ingestion by the insect the inactive protoxin gets converted into active form due to acidic pH of the insect gut.

In the light of the above statements, choose the correct answer from the options given below:

- Statement I is true but Statement II is false
 - (2) Statement I is false but Statement II is true
 - (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false
- 125 Which one of the following is <u>not</u> a criterion for classification of fungi?
 - (1) Mode of spore formation
 - (2) Fruiting body
 - (3) Morphology of mycelium
 - (4) Mode of nutrition

- 126 The capacity to generate a whole plant from any cell of the plant is called:
 - (1) Differentiation
 - (2) Somatic hybridization
 - (3) Totipotency
 - (4) Micropropagation
- 127 Which of the following are required for the dark reaction of photosynthesis?
 - A. Light
 - B. Chlorophyll
 - C. CO₂
 - D. ATP
 - E. NADPH

Choose the correct answer from the options given below:


- (1) C, D and E only
- (2) D and E only
- (3) A, B and C only
- (4) B, C and D only
- 128 Tropical regions show greatest level of species richness because
 - A. Tropical latitudes have remained relatively undisturbed for millions of years, hence more time was available for species diversification.
 - Tropical environments are more seasonal.
 - C. More solar energy is available in tropics.
 - D. Constant environments promote niche specialization.
 - Tropical environments are constant and predictable.

- (1) A, B and E only
- (2) A, B and D only
- •(3) A, C, D and E only
 - (4) A and B only





129 Identify the part of the seed from the given figure which is destined to form root when the seed germinates.



- 130 How many molecules of ATP and NADPH are required for every molecule of CO₂ fixed in the Calvin cycle?
 - (1) 3 molecules of ATP and 3 molecules of NADPH
 - (2) 3 molecules of ATP and 2 molecules of NADPH
 - (3) 2 molecules of ATP and 3 molecules of NADPH
 - (4) 2 molecules of ATP and 2 molecules of NADPH
- 131 In a plant, black seed color (BB/Bb) is dominant over white seed color (bb). In order to find out the genotype of the black seed plant, with which of the following genotype will you cross it?
 - (1) Bb (2) BB/Bb (3) BB (4) bb
- 132 Hind II always cuts DNA molecules at a particular point called recognition sequence and it consists of:
 - (1) 4 bp
- (2) 10 bp
- (3) 8 bp
- (4) 6 bp

- 133 Bulliform cells are responsible for
 - (1) Increased photosynthesis in monocots.
 - (2) Providing large spaces for storage of sugars.
 - (3) Inward curling of leaves in monocots.
 - (4) Protecting the plant from salt stress.
- 134 Match List I with List I

	List I		List II
A.	Two or more	CAT.	Back cross
	alternative	CT)	
	forms of a gene	00	
B.	Cross of F ₁	O π.	Ploidy
	progeny with	TO CA	
	homozygous		
	recessive parent	0.1	
C.	Cross of F ₁	III.	Allele
	progeny with	C	
	any of the parents	∞	
D.	Number of	C IV.	Test cross

Choose the correct answer from the options given below:

• (1) A-III, B-IV, C-I, D31

chromosome

sets in plant

- (2) A-IV, B-III, C-II, D
- (3) A-I, B-II, C-III, D-IV
- (4) A-II, B-I, C-III, D-IV
- 135 Auxin is used by gardeners to prepare weed-free lawns. But no damage is caused to grass as auxin
 - (1) does not affect mature monocotyledonous plants.
 - (2) can help in cell division in grasses, to produce growth.
 - (3) promotes apical dominance.
 - (4) promotes abscission of mature leaves only.






Match List I with List II

	List I		List II
A.	Rose	I.	Twisted aestivation
B.	Pea	н.	Perigynous flower
C.	Cotton	Ш.	Drupe
D.	Mango	IV.	Marginal placentation
Cho	ose the corr	ect ans	wer from the options given
belo	ow;		
(1)	A-IV, B-II	I, C-II,	D-I

- (2) A-II, B-III, C-IV, D-I
- (3) A-II, B-IV, C-I, D-III
- (4) A-I, B-II, C-III, D-IV
- The DNA present in chloroplast is: 137
 - Linear, single stranded
 - (2) Circular, single stranded
 - (3) Linear, double stranded
 - (4) Circular, double stranded •
- 138 Identify the correct description about the given figure:



- Cleistogamous flowers showing autogamy.
- (2) Compact inflorescence showing complete autogamy.
- (3) Wind pollinated plant inflorescence showing flowers with well exposed stamens.
 - (4) Water pollinated flowers showing stamons with mucilaginous covering.

139 Match List I with List II

	List I		List II
Α.	Robert May	I.	Species-Area
			relationship
В.	Alexander von	II.	Long term
	Humboldt		ecosystem
			experiment using
			out door plots
C.	Paul Ehrlich	III.	Global species
			diversity at about
			7 million
D.	David Tilman	IV.	Rivet popper
			hypothesis

Choose the correct answer from the options given below:

- A-I, B-III, C-II, D-IV
- (2) A-III, B-IV, C-II, D-I
- (3) A-II, B-III, C-I, D-IV
- A-III, B-I, C-IV, D-II (4)
- 140Given below are two statements:

Statement I: In C_3 plants, some O_2 binds to RuBisCO, hence CO₂ fixation is decreased.

Statement II: In C₄ plants, mesophyll cells show very little photorespiration while bundle sheath cells do not show photorespiration.

In the light of the above statements, choose the correct answer from the options given below:

- (1)Statement I is true but Statement II is false
- Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false
- 141 Identify the step in tricarboxylic acid cycle, which does not involve oxidation of substrate.
 - Succinyl-CoA → Succinic acid (1)
 - (2) Isocitrate → α-ketoglutaric acid
 - (3) Malic acid → Oxaloacetic acid
 - (4) Succinic acid → Malic acid





142 Match List I with List II

	List I		List II
A.	Citric acid	1.	Cytoplasm
	cycle		
B.	Glycolysis	II.	Mitochondrial
			matrix
C.	Electron	III.	Intermembrane
	transport		space of
	system		mitochondria
D.	Proton	IV.	Inner
	gradient		mitochondrial
			membrane

Choose the correct answer from the options given below:

- A-III, B-IV, C-I, D-II
- (2) A-IV, B-III, C-II, D-I
- (3) A-I, B-II, C-III, D-IV
- (4) A-II, B-I, C-IV, D-III •
- 143 Which of the following are fused in somatic hybridization involving two varieties of plants?
 - (1) Protoplasts
 - (2) Pollens
 - (3) Callus
 - (4) Somatic embryos
- 144 Match List I with List II

	List I		List II
A.	GLUT-4	I.	Hormone
B.	Insulin	II.	Enzyme
C.	Trypsin	III.	Intercellular
			ground substance
D.	Collagen	IV.	Enables glucose
			transport into cells

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
- (2) A-III, B-IV, C-I, D-II
- (3) A-IV, B-I, C-II, D-III •
- (4) A-I, B-II, C-III, D-IV

145 Match List I with List II

	151	aten List i with List	. 11		
List I			List II		
(Types of Stamens)			(Example)		
	A.	Monoadelphous	I.	Citrus	
	В.	Diadelphous	П.	Pea	
	C.	Polyadelphous	III.	Lily	
	D.	Epiphyllous	IV.	China-rose	
	C	hoose the correct ans	wert	from the options given	
		elow:			
	(1) A-I, B-II, C-IV, I	D-III		
	(2) A-III, B-I, C-IV,	D-II		
	• (3) A-IV, B-II, C-I, I	D-III		
	(4) A-IV, B-I, C-II, I	D-III		

146 Read the following statements and choose the set of correct statements:

In the members of Phaeophyceae,

- Asexual reproduction occurs usually by biflagellate zoospores.
- B. Sexual reproduction is by oogamous method only.
- Stored food is in the form of carbohydrates which is either mannitol or laminarin.
- The major pigments found are chlorophyll a, c and carotenoids and xanthophyll.
- E. Vegetative cells have a cellulosic wall, usually covered on the outside by gelatinous coating of algin.

Choose the correct answer from the options given below:

- (1) A, C, D and E only (2) A, B, C and E only
 - (3) A, B, C and D only(4) B, C, D and E only
- (4) B, C, D and E only

147	Match List I	with	List	П
	T ! 4 T			

	List I		List II
Α.	Frederick	L	Genetic code
	Griffith		
B.	Francois Jacob	II.	Semi-conservative
	& Jacque		mode of DNA
	Monod		replication
C.	Har Gobind	III.	Transformation
	Khorana		
D.	Meselson &	IV.	Lac operon
	Stahl		•

- (1) A-II, B-III, C-IV, D-I
- (2) Λ-IV, Β-I, C-II, D-III
- (3) A-III, B-II, C-I, D-IV
- (4) A-III, B-IV, C-I, D-II





- 148 Which of the following statement is correct regarding the process of replication in *E.coli?*
 - The DNA dependent DNA polymerase catalyses polymerization in 5' → 3' as well as 3' → 5' direction.
 - (2) The DNA dependent DNA polymerase catalyses polymerization in 5'→3' direction.
 - (3) The DNA dependent DNA polymerase catalyses polymerization in one direction that is 3'→5'.
 - (4) The DNA dependent RNA polymerase catalyses polymerization in one direction, that is 5°→3°.
- 149 Spraying sugarcane crop with which of the following plant growth regulators, increases the length of stem, thus, increasing the yield?
 - (1) Cytokinin (1)
 - (2) Abscisic acid
 - (3) Auxin
 - (4) Gibberellin [1]
- 150 In an ecosystem if the Net Primary Productivity (NPP) of first trophic level is

 $100x (kcal m^{-2}) y_r^{r-1}$, what would be the GPP (Gross Primary Productivity) of the third trophic level of the same ecosystem?

- (1) $10x (kcal \ m_{r}^{-2}) yr^{-1}$
- (2) $\frac{100x}{3x} (kcal \, m_1^2) \, yr^{-1}$
- (3) $\frac{x}{10} (kcal \ m^{-2}) \sqrt[3]{r^{-1}}$
- (4) $x (kcal m^{-2}) yr^{-1}$

151 Match List I with List II:

List I

List II

- A. Down's syndrome
- 11th chromosome
- B. α-Thalassemia
- II. 'X' chromosome
- C. β-Thalassemia
- III. 21st chromosome
- D. Klinefelter's syndrome ()
- IV. 16th chromosome

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II•
- (2) A-IV, B-I, C-II, D-III
- (3) A-I, B₇II₃ C-III, D-IV
- (4) A-II, B-III, C-IV, D-I
- 152 Match List I with List II:

List I 🤍

(Sub Phases of

Prophase I)

List II (Specific characters)

- A. Diakinesis
- Synaptonemal complex formation
- B. Pachytene
- Completion of terminalisation of chiasmata
- C. Zygotene
- III. Chromosomes look like thin threads
- D. Leptotene
- IV. Appearance of recombination nodules

- (1) A-II, B-ÎV, C-I, D-III
 - (2) A-IV, B-III, C-II, D-I
- (3) A-IV, B-II, C-III, D-I ★
- (4) A-I, B-II, C-IV, D-III
- 153 Which of the following factors are favourable for the formation of oxyhaemoglobin in alveoli?
 - (1) Low pCQ₂ and High H⁺ concentration
 - (2) Low pCO₂ and High temperature
 - (3) High pO2 and High pCO2
 - (4) High pO₂ and Lesser H⁺ concentration





154 Match List I with List II:

List I List II

 Typhoid I. Fungus B. Leishmaniasis II. Nematode

C. Ringworm Ш. Protozoa D. Filariasis IV. Bacteria

Choose the correct answer from the options given below:

A-III, B-I, C-IV, D-II

(2) A-II, B-IV, C-III, D-I

(3) A-I, B-III, C-II, D-IV

(4) A-IV, B-III, C-I, D-II •

155 Match List I with List II:

List I List II

A. Expiratory I. Expiratory reserve capacity

volume + Tidal volume 1 Inspiratory reserve

volume

B. Functional residual capacity

П. Tidal volume + Expiratory reserve volume

C. Vital capacity

III. Tidal volume + Inspiratory reserve volume

D. Inspiratory capacity

IV. Expiratory reserve volume + Residual volume

Choose the correct answer from the options given below:

((1)) A-II, B-I, C-IV, D-III

(2) A-I, B-III, C-II, D-IV

(3) A-II, B-IV, C-I, D-III •

(4) A-III, B-II, C-IV, D-I.

Which of the following are Autoimmune disorders?

A. Myasthenia gravis

В. Rheumatoid arthritis

Gout C.

D. Muscular dystrophy

Systemic Lupus Erythematosus (SLE)

Choose the most appropriate answer from the options given below:

B, C & E only

(2) C, D & E only

(3) A, B & D only

(4) A, B & E only •

157 Given below are two statements:

> Statement I: In the nephron, the descending limb of loop of Henle is impermeable to water and permeable to electrolytes.

> Statement II: The proximal convoluted tubule is lined by simple columnar brush border epithelium and increases the surface area for reabsorption.

> In the light of the above statements, choose the correct answer from the options given below:

(1) Statement I is true but Statement II is false

(2) Statement I is false but Statement II is true

(3) Both Statement I and Statement II are true

(4) Both Statement I and Statement II are false

158 Which of the following is not a steroid hormone?

Progesterone

(2) Glucagon •

(3) Cortisol

(4) Testosterone

159 Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R:

> Assertion A: FSH acts upon ovarian follicles in female and Leydig cells in male.

> Reason R: Growing ovarian follicles secrete estrogen in female while interstitial cells secrete androgen in male human being.

In the light of the above statements, choose the correct answer from the options given below:

(1) A is true but R is false

(2) A is false but R is true

Both A and R are true and R is the correct explanation of A,

(4) Both A and R are true but R is NOT the correct explanation of A.

160 Given below are some stages of human evolution. Arrange them in correct sequence. (Past to

Recent)

A. Homo habilis

В. Homo sapiens

C. Homo neanderthalensis

D. Homo erectus

Choose the correct sequence of human evolution from the options given below:

(1) C-B-D-A

(2) A-D-C-B •


(3) D-A-C-B

(4) B-A-D-C





161 Three types of muscles are given as a, b and c. Identify the correct matching pair along with their location in human body:



Name of muscle/location

- (1) (a) Skeletal Biceps
 - (b) Involuntary Intestine
 - (c) Smooth * Heart.
- (2) (a) Involuntary Nose tip
 - (b) Skeletal Bone
 - (c) Cardiac Heart.
- (3) (a) Smooth Toes
 - (b) Skeletal Legs
 - (c) Cardiac Heart.
- (4) (a) Skeletal Triceps
 - (b) Smooth Stomach
 - (c) Cardiac Heart.
- 162 Match List I with List II :

List I

List II

- A. Cocaine
- Effective sedative in surgery
- B. Heroin
- CALL. Cannabis sativa
- C. Morphine
- **III. Erythroxylum
- D. Marijuana
- TV. Papaver somniferum

Choose the correct answer from the options given below:

- A-II, B-I, C-III, D-IV
- (2) A-III, B-IV, C-I, D-II
 - (3) A-IV, B-III, C-I, D-II
 - (4) A-I, B-III, C-II, D-IV
- The "Ti plasmid" of Agrobacterium tumefaciens 163 stands for
 - Tumor inducing plasmid (1)
 - Temperature independent plasmid (2)
 - Tumour inhibiting plasmid
 - (4) Tumor independent plasmid

- Which one is the correct product of DNA dependent RNA polymerase to the given template?
 - 3'TACATGGCAAATATCCATTCA5'
 - (1) 5'AUGUACCGÜÜUAUAGGGAAGU3'
 - (2) 5 ATGTACCGTTTATAGGTAAGT3
 - (3) 5°AUGUACCGÜÜÜÜÄÜÄÄGÜÄÄGÜİ
 - (4) 5'AUGUAAAGUUUAUAGGUAAGU3'
- 165 Match List I with List II:

List I

- A. Pterophyllum
- Hag fish

List II

- B. Myxine
- gy II. Saw fish
- C. Pristis
- JIII. Angel fish
- D. Exocoetus
- € IV. Flying fish

Choose the correct answer from the options given below:

- A-IV, B-I, C-II, D-III
- (2) A-III, B-II, C-I, D-IV
- (3) A-II, B-I, C-III, D-IV
- A-III, B-I, C-II, D-IV

10

191

gul.

I.

166 Match List I with List II:

List I

List II

- Fibrous joints
- Adjacent vertebrae, limited
- movement
- B. Cartilaginous
- DY II. Humerus and 120
- joints
- Pectoral girdle, rotational
- ty Od movement LEB
- C. Hinge ioints
- III. Skull, don't allow any 13
- D. Ball and
- movement IV. Knee, help in 13
- socket joints
- locomotion 177

- A-II, B-III, C[□]I, D-IV
- (2) A-III, B-I, C-IV, D-II
 - (3) A-IV, B-II, C-III, D-I
 - (4) A-I, B-III, C-II, D-IV





167 The flippers of the Penguins and Dolphins are the example of the

0

- (1) Convergent evolution
 - (2) Divergent evolution
 - (3) Adaptive radiation
 - (4) Natural selection
- 168 Match List I with List II:

List I

List II

- A. α-l antitrypsin
- I. Cotton bollworm
- B. Cry IAb
- II. ADA deficiency
- C. Cry IAc
- III. Emphysema
- D. Enzyme replacement
- IV. Corn borer

therapy

Choose the correct answer from the options given below:

3

(1)

- (1) A-III, B-IV, C-I, D-II
- (2) A-II, B-IV, C-I, D-III
- (3) A-II, B-I, C-IV, D-III
- (4) A-III, B-I, C-II, D-IV
- 169 Match List I with List II:

List I

List II

- A. Axoneme
- Centriole
- B. Cartwheel
- III. Cilia and flagella
- pattern
- C. Crista
- III. Chromosome
- D. Satellite
- IV. Mitochondria

Choose the correct answer from the options given below:

a

- (1) A-II, B-IV, C-L-D-III
- (2) A-II, B-I, C-IV, D-III
 - (3) A-IV, B-III, C-II, D-I
 - (4) A-IV, B-II, C-III, D-I

170 Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: Breast-feeding during initial period of infant growth is recommended by doctors for bringing a healthy baby.

Reason R: Colostrum contains several antibodies absolutely essential to develop resistance for the new born baby.

In the light of the above statements, choose the most appropriate answer from the options given below:

- A is correct but R is not correct.
- (2) A is not correct but R is correct.
- (3) Both A and R are correct and R is the correct explanation of A. [5]
- (4) Both A and R are correct but R is NOT the correct explanation of A.

(1)

- 171 Which of the following is not a component of Fallopian tube?
 - (1) Infundibulum
 - (2) Ampulla
 - (3) Uterine fundus
 - (4) Isthmus
- 172 Which of the following statements is incorrect?
 - (1) Bio-reactors are used to produce small scale bacterial cultures.
 - Bio-reactors have an agitator system, an oxygen delivery system and foam control system.
 - A bio-reactor provides optimal growth conditions for achieving the desired product.
 - (4) Most commonly used bio-reactors are of stirring type.





173 Match List I with List II:

List II List I Provides additional A. Pons I. space for Neurons, regulates posture and balance. II. Controls B. Hypothalamus respiration and gastric secretions. III. Connects different C. Medulla regions of the brain. D. Cerebellum Neuro secretory cells

Choose the correct answer from the options given below:

- (1) A-I, B-III, C-II, D-IV
- (2) A-II, B-I, C-III, D-IV
- (3) A-II, B-III, C-I, D-IV
- (4) A-III, B-IV, C-II, D-I
- 174 Match List I with List II:

List I

List II

- A. Lipase
- I. Peptide bond
- B. Nuclease
- II. Ester bond
- C. Protease
- III. Glycosidic bond
- D. Amylase
- IV. Phosphodiester bond

Choose the correct answer from the options given below:

- A-II, B-IV, C-I, D-III
- (2) A-IV, B-I, C-III, D-II
- (3) A-IV, B-II, C-III, D-I
- (4) A-III, B-II, C-I, D-IV
- 175 Which of the following is not a natural/traditional contraceptive method?
 - (1) Lactational amenorrhea
 - (2) Vaults •
 - (3) Coitus interruptus
 - (4) Periodic abstinence

- 176 Following are the stages of pathway for conduction of an action potential through the heart:
 - A. AV bundle
 - B. Purkinje fibres
 - C. AV node
 - D. Bundle branches
 - E. SA node

Choose the correct sequence of pathway from the options given below:

- (1) B-D-E-C-A
- (2) E-A-D-B-C
- (3) E-C-A-D-B
- (4) A-E-C-B-D

177 Match List I with List II:

List I

List II

- A. Pleurobrachia
- Mollusca
- B. Radula
- II. Ctenophora
- C. Stomochord
- III. Osteichthyes
- D. Air bladder
- IV. Hemichordata

Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-IV, B-III, C-II, D-I
- (3) A-IV, B-II, C-III, D-I
- (4) A-II, B-I, C-IV, D-III

178 Match List I with List II:

List I

List II

- A. Common cold
- Plasmodium
- B. Haemozoin
- II. Typhoid
- C. Widal test
- III. Rhinoviruses
- D. Allergy
- IV. Dust mites

- (1) A-III, B-I, C-II, D-IV
 - (2) A-IV, B-II, C-III, D-I
 - (3) A-II, B-IV, C-III, D-I
- (4) A-I, B-III, C-II, D-IV





- 179 Consider the following statements:
 - Annelids are true coelomates
 - B. Poriferans are pseudocoelomates
 - C. Aschelminthes are acquipmates
 - D. Platyhelminthes are pseudocoelomates

Choose the correct answer from the options given below:

- (1) C only
- (2) D only
- (3) B only
- (4) A only •

w

N

01

- 180 In 'both sexes of cockroach, a pair of jointed filamentous structures called anal cerci are present on:
 - (1) 8th and 9th segment
 - (2) 11th segment
 - (3) 5th segment
 - (4) 10th segment
- 181 Given below are two statements:


Statement I: The presence or absence of hymen is not a reliable indicator of virginity.

Statement II: The hymen is torn during the first coitus only.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false
 - (2) Statement I is false but Statement II is true
 - (3) Both Statement I and Statement II are true
 - (4) Both Statement I and Statement II are false
- 182 Which one of the following factors will not affect the Hardy-Weinberg equilibrium?
 - (1) Gene migration
 - (2) Constant gene pool
 - (3) Genetic recombination
 - (4) Genetic drift

183 The following diagram showing restriction sites in *E.coli* cloning vector pBR322. Find the role of 'X' and 'Y' genes:



- (1) The gene 'X' is for protein involved in replication of Plasmid and 'Y' for resistance to antibiotics.
- (2) Gene 'X' is responsible for recognition sites and 'Y' is responsible for antibiotic resistance.
- (3) The gene 'X' is responsible for resistance to antibiotics and 'Y' for protein involved in the replication of Plasmid.
- (4) The gene 'X' is responsible for controlling the copy number of the linked DNA and 'Y' for protein involved in the replication of Plasmid.
- 184 Match List I with List !! :

List I

List II

- Non-medicated IUD
- Multiload 375
- B. Copper releasing IUD
- II. Progestogens
- C. Hormone releasing TUD
- III. Lippes loop
- D. Implants
- IV. LNG-20

Choose the correct answer from the options given below:

- (1) A-IV, B-I, C-II, DiIII
- (2) A-III, B-I, C-IV, D-II
 - (3) A-III, B-I, C-II, 12-IV
 - (4) A-I, B-III, C-IV(D-II
- 185 Following are the stages of cell division:
 - A. Gap 2 phase
 - B. Cytokinesis
 - C. Synthesis phase
 - D. Karyokinesis
 - E. Gap 1 phase

Choose the correct sequence of stages from the options given below [1].

- (1) B-D-E-A-C
- (2) E-C-A-D-B
- (3) C-E-D-A-B
- E-B-D-Λ-C





- 186 Choose the correct statement given below regarding juxta medullary nephron.
 - Loop of Henle of juxta medullary nephron runs deep into medulla.
 - (2) Juxta medullary nephrons outnumber the cortical nephrons.
 - (3) Juxta medullary nephrons are located in the columns of Bertini.
 - (4) Renal corpuscle of juxta medullary nephron lies in the outer portion of the renal medulla.
- 187 The following are the statements about nonchordates:
 - A. Pharynx is perforated by gill slits.
 - B. Notochord is absent.
 - C. Central nervous system is dorsal.
 - D. Heart is dorsal if present.
 - E. Post anal tail is absent.

Choose the most appropriate answer from the options given below:

- (1) B, D & E only
 - (2) B, C & D only
 - (3) A & C only
 - (4) A, B & D only
- 188 Given below are two statements:

Statement I: Mitochendria and chloroplasts are both double membrane bound organelles.

Statement II : Inner membrane of mitochondria is relatively less permeable, as compared to chloroplast.

In the light of the above statements, choose the most appropriate answer from the options given below:

- Statement I is correct but Statement II is incorrect,
- Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.

- 189 Regarding catalytic cycle of an enzyme action, select the correct sequential steps:
 - A. Substrate enzyme complex formation.
 - Free enzyme ready to bind with another substrate.
 - Release of products.
 - D. Chemical bonds of the substrate broken.
 - Substrate binding to active site.

Choose the correct answer from the options given below:

- B, A, C, D, E
- (2) E, D, C, B, A
- (3) E, A, D, C, B
- (4) A, E, B, D, C
- 190 Match List I with List II:

A. P wave I. Heart muscles are electrically silent. B. QRS complex II. Depolarisation of ventricles. C. T wave III. Depolarisation of atria. D. T-P gap IV. Repolarisation of ventricles.

Choose the correct answer from the options given below:

- A-II, B-III, C-I, D-IV
- (2) A-IV, B-II, C-I, D-III
- (3) A-I, B-III, C-IV, D-II
- (4) A-III, B-II, C-IV, D-I
- 191 Given below are two statements:

Statement I: Bone marrow is the main lymphoid organ where all blood cells including lymphocytes are produced.

Statement II: Both bone marrow and thymus provide micro environments for the development and maturation of T-lymphocytes.

In the light of the above statements, choose the most appropriate answer from the options given below:

- Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement Land Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.





192 Match List I with List II:

List I List II

- A. Unicellular glandular I. Salivary glands epithelium
- B. Compound epithelium II. Pancreas
- C. Multicellular III. Goblet cells of glandular epithelium alimentary canal
 D. Endocrine glandular IV. Moist surface of
- D. Endocrine glandular IV. Moist surface of epithelium buccal cavity

 Choose the correct answer from the options given

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-II, B-I, C-IV, D-III
- (3) A-II, B-I, C-III, D-IV
- (4) A-IV, B-III, C-I, D-II

193 Given below are two statements:

Statement 1: The cerebral hemispheres are connected by nerve tract known as corpus callosum.

Statement II: The brain stem consists of the medulla oblongata, pons and cerebrum.

In the light of the above statements, choose the most appropriate answer from the options given below:

- Statement I is correct but Statement II is incorrect.
 - Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.

194 Match List I with List II:

List I List II A. RNA polymerase III I. snRNPs

- B. Termination of
 - transcription
- II. Premotor
- C. Splicing of Exons
- III. Rho factor
- D. TATA box
- IV. SnRNAs, tRNA
- Choose the correct answer from the options given below:
- A-III, B-IV, C-I, D-II
- (2) A-IV, B-III, C-I, D-II
 - (3) A-II, B-IV, C-I, D-III
 - (4) A-III, B-II, C-IV, D-I

195 Match List I with List II:

List I A. Mesozoic Era 1. Lower invertebrates B. Proterozoic Era 11. Fish & Amphibia C. Cenozoic Era 111. Birds & Reptiles D. Paleozoic Era 112. IV. Mammals

Choose the correct answer from the options given below:

- (1) A-I, B-II, C-IV, D-III
- (2) A-III, B-I, C-IV, D-II
- (3) A-II, B-I, C-III, D-IV
- (4) A-III, B-I, C-II, D-IV

196 Given below are two statements:

Statement I: Gause's competitive exclusion principle states that two closely related species competing for different resources cannot exist indefinitely.

Statement II: According to Gause's principle, during competition, the inferior will be climinated. This may be true if resources are limiting.

In the light of the above statements, choose the correct answer from the options given below:

- Statement I is true but Statement II is false.
- Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.





197 Match List I with List II:

List I

List II


- A. Exophthalmic goiter
- Excess secretion of cortisol, moon face & hyperglycemia
- B. Acromegaly
- Hypo-secretion of thyroid hormone and stunted growth.
- C. Cushing's syndrome
- III. Hyper secretion of thyroid hormone & protruding eye balls.
- D. Cretinism
- IV. Excessive secretion of growth hormone.

Choose the correct answer from the options given below:

(1) A-III, B-IV, C-II, D-I

00

- (2) A-III, B-IY, C-I, D-II
 - (3) A-I, B-III, C-II, D-IV
 - (4) A-IV, B-II, C-I, D-III
- 198 Identify the correct option (A), (B), (C), (D) with respect to spermatogenesis.



- FSH, Sertoti cells, Leydig cells, spermatogenesis.
- ICSH, Leydig cells, Sertoli cells, spermatogenesis.
- (3) FSH, Leydig cells, Sertoli cells, spermiogenesis
 - (4) ICSH, Interstitial cells, Leydig cells, spermiogenesis.

- 199 As per ABO blood grouping system, the blood group of father is B⁺, mother is A⁺ and child is O⁺. Their respective genotype can be
 - A. IBi/Ai/ii
 - B. IBIBYTAIA/ii
 - C. IAIBAIIA/IBi
 - D. IAi / 1Bi / IAi
 - E. ilB/iJA/IAIB

Choose the most appropriate answer from the options given below:

- C & B only
- (2) D & E only
- . (3) Aonlyn
- (4) Bonly

200 Match List I with List II related to digestive system of cockroach.

List I

List II

- A. The structures used I.
 - Gizzard

for storing of food.

- B. Ring of 6-8 blind II. Gastric tubules at junction of Caeca foregut and midgut.
- C. Ring of 100-150 yellow III. Malpighian coloured thin tubules filaments at junction of midgut and hindgut.
- D. The structures used IV. Crop for grinding the food.

- (1) A-IV, B-III, C-II, D-I
- (2) A-III, B-II, C-IV, D-I
- (3) A-IV, B-II, C-III, D-I
 - (4) A-I, B-II, C-III, D-IV

NEET-UG 2023

Heartiest Congratulations to all students on getting Admission in Medical Colleges



Manish Singh



Lavish Chaudhary



Vani Thakur



Ayushi Tiwari G.M.C., Dehradun



Sakshi Lasiyal G.M.C., Dehradun



Akshat Panwar G.M.C., Dehradun



Ananya Tyagi



Ishita Rawat G.M.C., Dehradus



Shubh Shukla



Shivani Ringola



Ambika Pant



Nishita Thapliyal



Kanupriya Sati G.M.C., Srinagar



Tanishq Singh



Shivangi



Bhuvi Singh G.M.C., Haldwani



Charul Sharma



Mohit Singh G.M.C., Srinagar



Priyanshu Raj Verma G.M.C., Haldwani



Shivani Negi



Rahul Kumar G.M.C., Dehradun



Shivanshi Rawat G.M.C., Almora



Manprit Kaur G.M.C., Almora



Jasneet Kaur





Raman Rawat





Priyanka Negi



Abhishek Nautiyal G.M.C., Almora



Roshni G.M.C., Srinngar



Sandhya







Mukesh Singh

G.M.C., Kerala



